



**Limitless
Performance.**

MA
MID ASPECT


1750 • 1475 • 625



MA1750^{CM2}

Lightwind session saver, pump machine with excellent glide and low end.

The T750 is our largest MA foil, it opens new possibilities with exceptional low end, a wide speed range and easy pump performance. It's ideal for rookie to advanced wingers and the perfect introduction to downwinding.



RIDER RECOMMENDATIONS:

WING: RIDER WEIGHT 75KG+ (165LBS+), INTERMEDIATE/ADVANCED

PRONE/SUP: RIDER WEIGHT 75KG+ (165LBS+), INTERMEDIATE/ADVANCED

DOWNWIND: RIDER WEIGHT 75KG+ (165LBS+), ROOKIE/INTERMEDIATE/ADVANCED

WAKE: RIDER WEIGHT 75KG+ (165LBS+), INTERMEDIATE/ADVANCED

SPECIFICATIONS:

AREA: 1750 cm²

SPAN: 1152 mm

ASPECT RATIO: 7.58


ARMSTRONG®



MA1475^{CM2}

The ideal tool for linking up waves or scoring endless glides downwind.

Expanding on the performance of the MA1225, the 1475 delivers increased low end and long-Expanding on the performance of the MA1225, the 1475 delivers increased low end and long-distance pumpability. This makes the 1475 terrific for all-around lightwind winging and a prime downwinding foil for riders of all skill levels.



RIDER RECOMMENDATIONS:

WING: RIDER WEIGHT 60KG+ (132LBS+), INTERMEDIATE/ADVANCED

PRONE/SUP: RIDER WEIGHT 60KG+ (132LBS+), INTERMEDIATE/ADVANCED

DOWNWIND: RIDER WEIGHT 60KG+ (132LBS+), ROOKIE/INTERMEDIATE/ADVANCED

WAKE: RIDER WEIGHT 60KG+ (132LBS+), INTERMEDIATE/ADVANCED

SPECIFICATIONS:

AREA: 1475 cm²

SPAN: 1050 mm

ASPECT RATIO: 7.5


ARMSTRONG®



MA625^{CM2}

Incredible speed and manoeuvrability for maximum potential in powered conditions.

The MA625's speed range and manoeuvrability make it the ideal tool for "sending it" in powered conditions. Whether it's towing, freestyle winging, surf foiling or freeride kite foiling the 625 delivers.



RIDER RECOMMENDATIONS:

WING: RIDER WEIGHT 40-90KG (88-198LBS+), INTERMEDIATE/ADVANCED

TOW: RIDER WEIGHT 40-90KG (88-198LBS+), INTERMEDIATE/ADVANCED

PRONE/SUP: RIDER WEIGHT 40-80KG (88-176LBS+), ADVANCED

KITE: RIDER WEIGHT 40-90KG (88-198LBS+), INTERMEDIATE/ADVANCED

SPECIFICATIONS:

AREA: 625 cm²

SPAN: 690 mm

ASPECT RATIO: 7.62

ARMSTRONG®

